Technische fiche / Fiche technique / Technical sheet



3315RZ1

Ultra compact, lithium ion rechargeable and safety certified make the Peli™ 3315RZ1 one of the most versatile work torches available today. Its compact design fits comfortably in your hand and requires little space for storage or transport. The 3315RZ1 produces up to 176 lumens and provides up to 48 hours of continuous run time. 3 modes are provided, High / Low / Flashing. There is a full time battery level indicator built into the power switch so you'll always know when it's time to recharge. Additionally, there is a right angle adapter accessory (sold separately) that provides hands free lighting. The right angle adapter also allows the light head to articulate, directing the light exactly where you need it.



- Full Time Battery Level Indication
- 3 modes High / Strobe / Low
- · Lithium Ion Rechargeable Battery
- · Lanyard (included)
- Articulating right angle adapter with clip (sold separately)
- Safety Certified Atex Zone 1
- Up to 176 Lumens
- · Up to 48 hours run time
- IP67 waterproof and dustproof

DIMENSIONS

Length

6.11" (15.5 cm)

MATERIALS

Body

Anti-static Impact Modified PC/PBT

O-Ring

EPDM

Lens

Polycarbonate (PC)

Shroud

Anti-static Impact Modified PC/PBT

COLOURS

High Visibility Yellow

LIGHT SPECS

Lamp Type

LED

POWER

Battery Size

18650

Battery Type

Lithium-Ion

Battery Quantity

Batteries Included

yes

Rechargeable **Charge Time**

yes 5 hrs

Battery Level Indicator RGB LED

Volts

WEIGHT

Weight With Batteries Weight Without

4.6 oz (130 gr) 3.0 oz (85 gr)

Batteries

SWITCH

Switch Type

Push Button

Light Modes

High / Low / Flashing

CERTIFICATIONS

ATEX Zone 1
IECEx ib

OTHER

Minimum Pack Package Code 1

С

FL1 STANDARD	HIGH	LOW
314	176 LUMENS	22 LUMENS
Θ	5h 30mins	48h 0mins
	127m	44m
	4022cd	492cd
	IP67	

ACCESSORIES







8056F 12v Plug-in for Fast Charger



3318Z1Deck/Dash Charger Base Unit



3319Z1Replacement Battery



6061FDirect Wiring Rig for Fast
Charger

Peli

c/ Provença, 388, Planta 7 • Barcelona, Spain 08025 • Phone: +34 934 674 999 <u>info@peli.com</u> • <u>www.peli.com</u>

Document created on 01-22-21