

C E R T I F I C A T E
EC Type-Examination Certificate
EEC Directive 89/686/EEC Article 10
as last amended by EEC Directive 96/58/EEC
Personal Protective Equipment

Registration No.: BP 60082692 0001

Report No.: 21194410 001

Holder: Hevea BV
Boeierstraat 12
8102 HS Raalte
Netherlands

Product: Safety Footwear
according EN ISO 20345:2011

Identification: DUNLOP® PUROFORT® - Professional Mk2, - Purofort+ Mk3,
- Thermo+
insock variants: Tailes perfed+ J-ESD flat insole or
Tailes perfed+ J-ESD cup insole or
Texon 2000+ polyester fleece beige or
Biagioli Ibitech grey
Article details see annex Rev 0 Doc 1-4/4

The EC type-examination certificate refers to the above mentioned product. This is to certify that the product complies with the essential requirements of Annex II of the directive 89/686/EEC. This certificate does not imply assessment of the production of the product and does not permit the use of a TÜV Rheinland mark of conformity. The holder is entitled to use this certificate in connection with the declaration of conformity in accordance with Annex VI.

Valid till: 21.02.2018

Notified Body

Date 22.02.2013



E. Waßmann
Dipl.-Ing. (FH) E. Waßmann

TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg
Accredited by Zentralstelle der Länder für Sicherheitstechnik (ZLS).

Notified under No. **0197** to the EC Commission.

CE The CE marking may be used if all relevant and effective EC Directives are complied with. CE

TÜV Rheinland
LGA Products GmbH
Tillystraße 2, 90431 Nürnberg

Rev. 0 Doc 1/4

Attachment to
Registration No.: BP 60082692 0001
Report No.: 21194410 001

Manufacturer: Hevea BV
Boeierstraat 12
8102 HS Raalte
Netherlands

Scope:

DUNLOP® PUROFORT® Professional Mk2
Sizes: 37 up to 48
Category / Symbol: S4 CI SRA or S5 CI CR SRA
Design: C (cutable) and D

DUNLOP® PUROFORT® Purofort+ Mk3
Sizes: 36 up to 50
Category / Symbol: S4 CI SRC or S5 CI CR SRC
Design: D

DUNLOP® PUROFORT® Thermo+
Sizes: 5 up to 13
Category / Symbol: S4 CI SRC or S5 CI CR SRC
Design: D

Outsoles: PU in different colours
Penetration resistance: Esjot 0725 RVS, Isco 1625 Carbon,
Isco 1625 RVS or Smal 1725 RVS
Toe protection: Esjot 701, Isco 701, Smal 701 or
Flecksteel 1701

Artikelcodes see annex Rev.0 Doc 2/4 up to 4/4

Date: 2013-02-22



Certification Body


Dipl.-Ing. (FH) E. Waßmann

**TÜV Rheinland
LGA Products GmbH
Tillystraße 2, 90431 Nürnberg**

Attachment to
Registration-No.: **BP 60082692 0001**
Report-No.: **21194410 001**

Article codes DUNLOP® PUROFORT® Professional Mk2

| position | required | | | | | | | optional | | |
|----------|----------|---------|----|---|---|---|---|----------|---|----|
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| | C | 4 | 5 | 1 | 0 | 3 | 1 | . | A | A |
| | | | 6 | 2 | 1 | 4 | 2 | | B | B |
| | | | | | 2 | 7 | 3 | | C | C |
| | | | | | 3 | | 4 | | D | D |
| | | | | | 4 | | | | E | E |
| | | | | | 5 | | | | F | F |
| | | | | | 6 | | | | G | G |
| | | | | | 7 | | | | H | H |
| | | | | | 8 | | | | I | I |
| | | | | | 9 | | | | J | J |
| | | | | | | | | | K | K |
| | | | | | | | | | L | L |
| | | | | | | | | | M | M |
| example | | C462142 | GE | | | | | | N | N |
| | | C461847 | | | | | | | O | O |
| | | | | | | | | | P | P |
| | | | | | | | | | Q | Q |
| | | | | | | | | | R | R |
| | | | | | | | | | S | S |
| | | | | | | | | | T | T |
| | | | | | | | | | U | U |
| | | | | | | | | | V | V |
| | | | | | | | | | W | W |
| | | | | | | | | | X | X |
| | | | | | | | | | Y | Y |
| | | | | | | | | | Z | Z |

Rev 0 Doc 2/4

| Position | Explanation |
|----------|------------------------|
| 1 | Class |
| 2 | Style |
| 3 | Recipe |
| 4 | Protective parts |
| 5 | Colour |
| 6 | Lining |
| 7 | Packaging |
| 8 | dot |
| 9 | Specialties/Customized |
| 10 | Specialties/Customized |

Certification Body

Date: 2013-02-21



E. Waßmann
Dipl.-Ing. (FH) E. Waßmann

**TÜV Rheinland
LGA Products GmbH
Tillystraße 2, 90431 Nürnberg**

Attachment to
Registration-No.: BP 60082692 0001
Report-No.: 21194410 001

Article codes DUNLOP® PUROFORT® Purofort+ Mk3

| position | Required | | | | | | | Optional | | |
|----------|----------|---|------------|---|---|---|---|----------|---|----|
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| | C | 7 | 5 | 1 | 0 | 3 | 1 | . | A | A |
| | | | 6 | 2 | 1 | 4 | 2 | | B | B |
| | | | | 3 | 2 | 7 | 3 | | C | C |
| | | | | | 3 | | 4 | | D | D |
| | | | | | 4 | | | | E | E |
| | | | | | 5 | | | | F | F |
| | | | | | 6 | | | | G | G |
| | | | | | 7 | | | | H | H |
| | | | | | 8 | | | | I | I |
| | | | | | 9 | | | | J | J |
| | | | | | | | | | K | K |
| | | | | | | | | | L | L |
| | | | | | | | | | M | M |
| Example | | | C762142.GE | | | | | | N | N |
| | | | C761847 | | | | | | O | O |
| | | | | | | | | | P | P |
| | | | | | | | | | Q | Q |
| | | | | | | | | | R | R |
| | | | | | | | | | S | S |
| | | | | | | | | | T | T |
| | | | | | | | | | U | U |
| | | | | | | | | | V | V |
| | | | | | | | | | W | W |
| | | | | | | | | | X | X |
| | | | | | | | | | Y | Y |
| | | | | | | | | | Z | Z |

Rev 0 Doc 3/4

| Position | Explanation |
|----------|------------------------|
| 1 | Class |
| 2 | Style |
| 3 | Recipe |
| 4 | Protective parts |
| 5 | Colour |
| 6 | Lining |
| 7 | Packaging |
| 8 | dot |
| 9 | Specialties/Customized |
| 10 | Specialties/Customized |

Certification Body

Date: 2013-02-21



E. Waßmann
Dipl.-Ing. (FH) E. Waßmann

**TÜV Rheinland
LGA Products GmbH
Tillystraße 2, 90431 Nürnberg**

Attachment to
Registration-No.: **BP 60082692 0001**
Report-No.: **21194410 001**

Article codes DUNLOP® PUROFORT® Thermo+

| position | Required | | | | | | | Optional | | |
|----------|----------|---|---|---|---|---|---|----------|---|----|
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| | C | 6 | 5 | 1 | 0 | 3 | 1 | . | A | A |
| | | | 6 | 2 | 1 | 4 | 2 | | B | B |
| | | | | | 2 | 7 | 3 | | C | C |
| | | | | | 3 | | 4 | | D | D |
| | | | | | 4 | | | | E | E |
| | | | | | 5 | | | | F | F |
| | | | | | 6 | | | | G | G |
| | | | | | 7 | | | | H | H |
| | | | | | 8 | | | | I | I |
| | | | | | 9 | | | | J | J |
| | | | | | | | | | K | K |
| | | | | | | | | | L | L |
| | | | | | | | | | M | M |
| Example | | | | | | | | | N | N |
| | | | | | | | | | O | O |
| | | | | | | | | | P | P |
| | | | | | | | | | Q | Q |
| | | | | | | | | | R | R |
| | | | | | | | | | S | S |
| | | | | | | | | | T | T |
| | | | | | | | | | U | U |
| | | | | | | | | | V | V |
| | | | | | | | | | W | W |
| | | | | | | | | | X | X |
| | | | | | | | | | Y | Y |
| | | | | | | | | | Z | Z |

Rev 0 Doc 4/4

Position Explanation

- 1 Class
- 2 Style
- 3 Recipe
- 4 Protective parts
- 5 Colour
- 6 Lining
- 7 Packaging
- 8 dot
- 9 Specialties/Customized
- 10 Specialties/Customized

Certification Body

Date: 2013-02-21



E. Waßmann
Dipl. Ing. (FH) E. Waßmann