



DATASHEET | 43030



## PF043030000

## 43030

Thermal protection for general purpose welding with small projections.

### Product essentials

The production of this category 3 glove is submitted to the control of a third party organisation.



<b>Environment</b>	Dry
<b>Protection</b>	Hot
<b>PPE Category</b>	3
<b>Norms</b>	EN 420-1, EN 388 (4144) EN 407 (41314X), EN 12477 : 2001 (Type A)
<b>Size</b>	From 8 to 11
<b>Packaging</b>	10 pairs / bag 70 pairs / box

Espuna recommends you this product for the following activities:

- Welding – Metallurgy



ESPUNA SAS – 44 boulevard Ferdinand Buisson – Route de Luc – BP 110 – 11205 LEZIGNAN – CORBIERES Cedex  
Tel. +33 4 68 27 05 72 – Fax. +33 4 68 27 28 38 – [info@espuna.fr](mailto:info@espuna.fr) – [www.espuna.fr](http://www.espuna.fr)



Entreprise  
du Patrimoine  
Vivant  
Excellence  
Performance  
Projet



## Safety Shop<sup>®</sup><sub>nv</sub>

Westkaai 7 - B2170 Merksem / Antwerpen - Tel. 03 646 99 60 - Fax 03 646 00 25  
[info@safetyshop.be](mailto:info@safetyshop.be) - [www.safetyshop.be](http://www.safetyshop.be)



## PF043030000

## 43030

### Description

Working glove, beige colour, cowhide split leather, treated for high temperatures, 15 cm split leather cuff.

### Using instructions

Protection glove exclusively for mechanical and thermal hazards and for welding in dry environments.



*B type gloves are recommended when a high dexterity is necessary, such as for the TIG welding.*

*A type gloves are recommended for others welding activities.*

*For the time being, there is no standardized test method for detecting the U.V penetration through materials used for gloves. However the current methods to manufacture protective welding gloves do normally not allow the U.V penetration. Arc welding facilities do not protect welders from a direct contact with all the charged parts.*

### Standards

EN 388



4144

EN 407



41314X

EN 12477 (2001)

Type A

EN 420

1

### Storage and maintenance instructions

Keep in the original packaging, normal temperature and moisture, opened and airy room. Clean on surface with wet rag. Dry to room temperature.

Marking **CE** : This item is in accordance with the directive 89/696/EEC

CE type examination certificate N° 0072/076/162/06/95/0280 –Revision N° 03 du 12/02/04

### Hand size according to EN 420

Hand size (*)	Hand circumference (mm)	Hand length (mm)
6	152	160
7	178	171
8	203	182
9	229	192
10	254	204
11	279	215

(\*) The hand size equals the number of inches of hand circumference.

For optimal use, it's essential to choose the right size glove.

«ESPUNA, means quality products, designed by responsible men and women with a unique know-how, united by a passion for protection.»



ESPUNA SAS – 44 boulevard Ferdinand Buisson – Route de Luc – BP 110 – 11205 LEZIGNAN – CORBIERES Cedex  
Tel. +33 4 68 27 05 72 – Fax. +33 4 68 27 28 38 – [info@espuna.fr](mailto:info@espuna.fr) – [www.espuna.fr](http://www.espuna.fr)



**Safety Shop<sup>®</sup>**<sub>nv</sub>

Westkaai 7 - B2170 Merksem / Antwerpen - Tel. 03 646 99 60 - Fax 03 646 00 25  
[info@safetyshop.be](mailto:info@safetyshop.be) - [www.safetyshop.be](http://www.safetyshop.be)