# Technische fiche / Fiche Technique / Technical sheet

TECHNICAL SHEET 1/2



# **BRAVO 50 apron**



#### FIELD OF APPLICATION

BRAVO 50 apron is suitable for use in the food industry (high resistance to animal fats and blood). BRAVO 50 apron is a reusable PPE (Personal Protective Equipment) offering a level of protection against mechanical risks and offering a level of resistance to water penetration.

MATERIAL: polyester canvas coated on both sides with nitrile

### **FEATURES**

- Colour: white, yellow, brown, blue and green
- Thickness: 500 μm (± 50)
- Weight: 600 g/m<sup>2</sup>
- Standard dimensions (width x height in cm): 90x115

Aprons with nickel-free brass rings and eyelets

For standard and harness aprons fittings:

- food safe polypropylene adjustment loop(s)
- · stainless steel hook and polyester braided elastic

For automatic aprons fittings:

- Sewn straps made of nitrile, both sides coated on polyester support
- Nickel rivets and rings



## **NORMS & REGULATIONS**

Category II - Notified body n° 0072

Institut Français du Textile et de l'Habillement - Avenue Guy de Collongue - 69134 ECULLY Cedex



- NF EN 340: 2003, NF EN 14325: 2004 for paragraphs 4.4, 4.7, 4.9 and 4.10, NF EN 343 + A1: 2007 for paragraph 4.2
- Apron in accordance with EC N° 1935/2004 Regulation on materials and articles intended to come into contact with food.
- Apron in accordance with UE N°10/2011 Regulation on rubber materials and articles intended to come into contact with food.
- Apron in accordance with Decree of 9 November 1994 on rubber materials and articles intended to come into contact with food.
- This PPE may be put in contact with aqueous, acidic and fatty food (Correction factor 4)
- Apron in accordance with Article 33 of the REACH Regulation N°1907/2006 on products containing SVHC and its
  amendments.
- Does not contain silicone (and silicone derivatives), or bisphenols.

### **CLEANING**

Cleaning: wash and brush the apron in hot soapy water (60°C) or in a mixture of water and a gentle detergent. Rinsing: with water. Do not use toxic products to clean or rinse the apron. Storage: After cleaning, store in a dark, dry, well-ventilated place. The apron must be replaced when it shows signs of wear and tear.

N° intrastat 62102000







Plant: ZA du Mille - 49123 CHAMPTOC É-SUR-LOIRE - Tel +33(0)2 41 39 90 30 - Fax +33 (0)2 41 39 99 11
Postal address: CS 40055 - 49170 ST-GEORGES-SUR-LOIRE - FRANCE - E-mail: manulatex@manulatex.fr - www.manulatex.fr

 $N^{\circ}5$  version - 07/01/ 2016 - Document and pictures are non contractual



# Technische fiche / Fiche Technique / Technical sheet

**TECHNICAL SHEET 2/2** 



# **BRAVO 50 apron**



## **PERFORMANCE LEVELS**

Type of test	According to EN 14325: 2004		According to EN 343+A1: 2007
	Section of the standard	Level (where 6 is the highest level)	Level (where 3 is the highest level)
Abrasion resistance according to EN 530 method 2	4.4	6/6	
Trapezoidal tear resistance according to EN ISO 9073-4	4.7	3/6	
Tensile strength according to EN ISO 13934-1	4.9	5/6	
Puncture resistance according to EN 863	4.10	3/6	
Determining resistance to water penetration when new according to EN 20811			3/3
Determining resistance to water penetration after accelerated ageing by abrasion according to EN 20811			2/3
Determining resistance to water penetration after accelerated ageing by repeated bending according to EN 20811			2/3

N° intrastat 62102000





Plant: ZA du Mille - 49123 CHAMPTOC É-SUR-LOIRE - Tel +33(0)2 41 39 90 30 - Fax +33 (0)2 41 39 99 11 Postal address; CS 40055 - 49170 ST-GEORGES-SUR-LOIRE - FRANCE - E-mail: manulatex@manulatex.fr - www.manulatex.fr

