

Universe	Professional
Type	Verticality
Category	Descenders
Subcategory	Self-braking descenders



RIG

RIG is a compact self-braking descender primarily designed for experienced rope access workers. It has a multi-function handle that allows control of the descent speed and positioning at a work station without the need to tie off the device. The safety clip reduces the risk of dropping the device and facilitates passing of intermediate anchors. And the automatic return system on the handle limits risks in case of an involuntary action by the user.

V3 10/10/2016
1 / 3

Short Description Compact self-braking descender

- Selling Points**
- Designed for rope access work (expert users only)
 - Multi-function handle allows the user to:
 - unlock the rope and control the descent with the hand on the free end of the rope
 - position himself at the work station without having to tie off the device
 - The automatic return system on the handle limits risks in case of an involuntary action by the user
 - Handle storage position reduces the risk of snagging when the descender is being carried on the harness.
 - The gate on the moving side plate helps prevent dropping the device and facilitates rope installation when passing intermediate anchors
 - Pivoting cam facilitates taking up the slack in the rope. Can also be used to make a reversible haul system, and for short ascents (in conjunction with a FOOTAPE or FOOTCORD foot loop and an ASCENSION handled rope clamp).
 - Lowers heavy loads up to 200 kg (only for expert users; consult the Instructions for Use for the device at www.petzl.com)
 - Available in two colors: yellow and black

-
- Specification**
- Min. rope diameter: 10,5mm
 - Max. rope diameter: 11,5mm
 - Weight: 380g
 - Certification(s): EN 341 classe A, CE EN 12841 type C, NFPA 1983 Technical Use, EAC
-

Specifications by reference

Reference(s)	D21A	D21AN
		
Color(s)	yellow	black
Made in	FR	FR
Guarantee	3 years	3 years
Packing	1	1
Case quantity	8	8
EAN	3342540087620	3342540087637

Related product(s)
 AXIS 11 mm
 PARALLEL 10.5 mm
 ASCENSION
 FOOTAPE
 CORDEX PLUS