

| | |
|-------------|------------------|
| Universe | Professional |
| Type | Verticality |
| Category | Connectors |
| Subcategory | Large connectors |



MGO OPEN 60

MGO OPEN 60 is an auto-locking directional connector with very large gate opening for connection to metal structures or to large-diameter cables and bars. It has a gated connection point for attachment to different types of lanyards. If the lanyard is damaged, the connector can thus be reused.



Gated connection point for direct attachment of the MGO OPEN 60 to ABSORBICA or GRILLON lanyards.

V2 10/10/2016
1 / 3

Short Description Auto-locking directional connector with large gate opening, and a gated connection point

- Selling Points**
- Designed for connection to metal structures or to large-diameter cables and bars
 - Gated connection point for direct attachment of the MGO OPEN to ABSORBICA or GRILLON lanyards. If the lanyard is damaged, the connector can thus be reused.
 - Special connection point helps keep the carabiner loaded on its major axis
 - Ergonomic unlocking handle

-
- Specification**
- Material(s): aluminum
 - Certification(s): CE EN 362, EAC
-

Specifications by reference

| | |
|---------------------|----------------|
| Reference(s) | MGOO 60 |
| Weight | 490 g |
| Major axis strength | 23 kN |
| Gate opening | 63 mm |
| Made in | TW |
| Guarantee | 3 years |
| Packing | 1 |
| Case quantity | 6 |
| EAN | 3342540103740 |

Related product(s) ABSORBICA-I European version
 ABSORBICA-I VARIO
 ABSORBICA-Y European version
 GRILLON