

Herongripa




Heavy-duty, animal fat-resistant matting with delineated stand zones designed to make social distancing easy.



Oils, acids and animal fats are no match for Herongripa, a specialised matting solution designed to keep food processing environments free from slippery floors, as well as relieving employees from fatigue.

The mat's extra-wide open grid means waste and other spillages fall straight through, keeping the standing area free from hazardous material. Made from a single piece of heavy-duty non-porous PVC, the matting is easy to handle and clean with a high pressure hose, making maintenance a breeze.

Herongripa also comes with delineated stand zones for easy social distancing. The bright yellow markers give employees a clear section in which to work, making it ideal for workplaces with standing employees or frequent shift changeovers.



Features:



Diamond-cut pattern



Two-layer construction with extra wide grid



Made from non-porous plasticised PVC



Anti-fungal and anti-bacterial additives



Comes in 5m (16'6") or 10m (33') rolls



Benefits:



Certified slip resistant (DIN 51130:R11 ASTM 1677:0.8/0/7)



Excellent drainage




Resistant to animal fat



Excellent hygiene, easy to clean



Quick to install



Plastic Extruders Ltd.

Russell Gardens, Wickford
Essex, SS11 8DN
+44 (0) 1268 571 116

UK + USA manufactured matting products:
plastexmatting.com



Standard sizes:

Product	Herongripa
Height	15mm (5/8")
Standard roll options	5 x 0.6m (16'6" x 2')
	5 x 0.91m (16'6" x 3')
	5 x 1.22m (16'6" x 4')
	10 x 0.6m (33' x 2')
	10 x 0.91m (33' x 3')
	10 x 1.22m (33' x 4')
Weight	4 4.3kg/m ² (0.88lb/sq.ft)

Tolerances:

	Height (+/- 0.5mm)	Length (0+0.3m)	Width (+/- 1cm)
Herogripa	15mm	5m 10m	60cm 91cm 122cm

All dimensions are nominal

Technical information:

Acoustic	Excellent sound absorption
Chemical	Resistant to most acids, alkalines and oils. You can read more about specific chemical resistances by downloading this information sheet .
Composition	Made from flexible animal fat resistant Polyvinyl Chloride (PVC)
Environment	Herongripa is 100% recyclable. We don't use any substances included in the SVHC list under REACH in any of our matting products.
Hygiene	Made from non-porous PVC that's naturally resistant to bacteria growth. Incorporates anti-microbial and anti-fungal additives for continuous hygiene.
Reversion	Thermoplastic shrinkage can result in size reductions up to 2%. This may be accelerated in hot environments. You can read more about the causes of shrinkage by downloading this information sheet .
Slip resistance	ASTM F 1677 - Dry/Wet: 0.8/0.7 DIN 51130: R11, V10
Thermal	Designed to function at temperatures from -23°C and up to +60°C. Slight size variation may occur at temperature extremes.
UV light	Resistant to PVC degradation
Warranty	Three years. Visit our policies page for more information about warranties

Installation:

Herongripa's one-piece construction means installation is simple:

- Comes in 5m and 10m rolls
- Loose lay
- Contours to uneven surfaces

Cleaning:


Keeping Herongripa looking good is easy:

- One piece covering
- Easy to handle
- Roll or lift to clean
- Easy to clean with a high pressure hose

Colours:



Terracotta




Black with yellow bands

More colours
available
upon request

Ancillaries:


> Herongripa

PVC edging (H: 14mm, W: 60mm)




Supplied in rolls of 10.1m (33') length with cold welding paste. Comes in black, dark grey, dark brown, holly green, Oxford blue, yellow. Size: 14mm x 60mm x 10.1m (9/16" x 2 1/2" x 33')

Aluminium edging (H: 15mm)



Supplied in sections of 2m (6'6") length with fixing screws and plugs. Comes in anodised aluminium and powder coated yellow. Size: 15mm x 45mm x 2m (5/8" x 1 13/16" x 6'6")

Small floor hook (H: 14mm)



For securing sections of matting to the floor. Supplied in packs of 20 with screws and plugs